

American National Standard

*American National Standard
for Safe Use of Optical Fiber
Communication Systems Utilizing
Laser Diode and LED Sources*



**Laser Institute
of America**
Laser Applications and Safety



ANSI®
Z136.2 – 2012
First Printing

**American National Standard
for Safe Use of Optical Fiber
Communication Systems Utilizing
Laser Diode and LED Sources**

**Secretariat
Laser Institute of America**

**Approved: December 19, 2012
American National Standards Institute, Inc.**

American National Standard

An American National Standard implies a consensus of those substantially concerned with its scope and provisions. An American National Standard is intended as a guide to aid the manufacturer, the consumer, and the general public. The existence of an American National Standard does not in any respect preclude anyone, whether or not he or she has approved the standard, from manufacturing, marketing, purchasing, or using products, processes or procedures not conforming to the standard. American National Standards are subject to periodic review and users are encouraged to obtain the latest editions.

CAUTION NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this standard no later than five years from the date of publication. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Published by

**Laser Institute of America
13501 Ingenuity Drive, Suite 128
Orlando, FL 32826**

ISBN: 978-0-912035-68-0

Copyright © 2012 by Laser Institute of America.
All rights reserved.

No part of this publication may be copied or reproduced in any form, including an electronic retrieval system or be made available on the Internet, a public network, by satellite, or otherwise, without the prior written permission of the publisher.

Printed in the United States of America.

Foreword (This introduction is not a normative part of ANSI Z136.2-2012, *American National Standard for Optical Fiber Communication Systems Utilizing Laser Diode and LED Sources.*)

In 1968, the American National Standards Institute (ANSI) approved the initiation of the Safe Use of Lasers Standards Project under the sponsorship of the Telephone Group.

Prior to 1985, Z136 standards were developed by ANSI Committee Z136 and submitted for approval and issuance as ANSI Z136 standards. Since 1985, Z136 standards are developed by the ANSI Accredited Standards Committee (ASC) Z136 for Safe Use of Lasers. A copy of the procedures for development of these standards can be obtained from the secretariat, Laser Institute of America, 13501 Ingenuity Drive, Suite 128, Orlando, FL 32826 or viewed at www.z136.org.

The present scope of ASC Z136 is to protect against hazards associated with the use of lasers and optically radiating diodes.

ASC Z136 is responsible for the development and maintenance of this standard. In addition to the consensus body, ASC Z136 is composed of standards subcommittees (SSC) and technical subcommittees (TSC) involved in Z136 standards development and an editorial working group (EWG). At the time of this printing, the following standards and technical subcommittees were active:

| | |
|--------|---|
| SSC-1 | Safe Use of Lasers (parent document) |
| SSC-2 | Safe Use of Lasers and LEDs in Telecommunications Applications |
| SSC-3 | Safe Use of Lasers in Health Care |
| SSC-4 | Measurements and Instrumentation |
| SSC-5 | Safe Use of Lasers in Educational Institutions |
| SSC-6 | Safe Use of Lasers Outdoors |
| SSC-7 | Eyewear and Protective Barriers |
| SSC-8 | Safe Use of Lasers in Research, Development, and Testing |
| SSC-9 | Safe Use of Lasers in Manufacturing Environments |
| SSC-10 | Safe Use of Lasers in Entertainment, Displays, and Exhibitions |
| TSC-1 | Biological Effects and Medical Surveillance |
| TSC-2 | Hazard Evaluation and Classification |
| TSC-4 | Control Measures and Training |
| TSC-5 | Non-Beam Hazards |
| TSC-7 | Analysis and Applications |
| EWG | Editorial Working Group |

The eight standards currently issued are:

ANSI Z136.1-2007, *American National Standard for Safe Use of Lasers* (replaces ANSI Z136.1-2000)

ANSI Z136.2-2012, *American National Standard for Safe Use of Optical Fiber Communication Systems Utilizing Laser Diode and LED Sources* (first edition)

ANSI Z136.3-2011, *American National Standard for Safe Use of Lasers in Health Care* (replaces ANSI Z136.3-2005, *American National Standard for Safe Use of Lasers in Health Care Facilities*)

ANSI Z136.4-2010, *American National Standard Recommended Practice for Laser Safety Measurements for Hazard Evaluation* (replaces ANSI Z136.4-2005)

ANSI Z136.5-2009, *American National Standard for Safe Use of Lasers in Educational Institutions* (replaces ANSI Z136.5-2000)

ANSI Z136.6-2005, *American National Standard for Safe Use of Lasers Outdoors* (replaces ANSI Z136.6-2000)

ANSI Z136.7-2008, *American National Standard for Testing and Labeling of Laser Protective Equipment* (first edition)

ANSI Z136.8-2012, *American National Standard for Safe Use of Lasers in Research, Development or Testing* (first edition)

This American National Standard provides guidance for the safe use, maintenance, service, and installation of optical communications systems utilizing laser diodes or light emitting diodes operating at wavelengths between 0.6 μm and 1 mm. Optical communication systems include end-to-end optical fiber based links, fixed terrestrial point-to-point free-space links, or a combination of both. This standard is intended to be used by those who assemble the end-to-end system and by service, maintenance, and other personnel who may come in contact with such systems where access is in uncontrolled, controlled and restricted locations. It provides detailed safety information for systems where optical energy may be accessible and where source parameters are uncertain or not under the control of the user. Control measures commensurate with the specific hazard level (optical fiber links) and access level (free-space links) are provided. Most evaluations can be carried out analytically and a number of representative examples of hazard evaluation are provided in the Appendixes.

It is expected that this standard will be periodically revised as new information and experience in the use of lasers are gained. Future revisions may have modified content and use of the most current document is highly recommended.

While there is considerable compatibility among existing laser safety standards, some requirements differ among state, federal, and international standards and regulations. These differences may have an effect on the particulars of the applicable control measures.

Occasionally questions may arise regarding the meaning or intent of portions of this standard as it relates to specific applications. When the need for an interpretation is brought to the attention of the secretariat, the secretariat will initiate action to prepare an appropriate response. Since ANSI Z136 standards represent a consensus of concerned interests, it is important to ensure that any interpretation has also received the concurrence of a balance of interests. For this reason, the secretariat is not able to provide an instant response to interpretation requests except in those cases where the matter has previously received formal consideration. Requests for interpretations and suggestions for improvements of the standard are welcome. They should be sent to ASC Z136 Secretariat, Laser Institute of America, 13501 Ingenuity Drive, Suite 128, Orlando, FL 32826.

This standard was processed and approved for submittal to ANSI by ASC Z136. Committee approval of the standard does not necessarily imply that all members voted for its approval.

Robert Thomas, Committee Chair
Sheldon Zimmerman, Committee Vice-Chair
Ben Edwards, Committee Secretary

Notice

(This notice is not a normative part of ANSI Z136.2-2012, *American National Standard for Optical Fiber Communication Systems Utilizing Laser Diode and LED Sources*.)

Z136 standards and recommended practices are developed through a consensus standards development process approved by the American National Standards Institute. The process brings together volunteers representing varied viewpoints and interests to achieve consensus on laser safety related issues. As secretariat to ASC Z136, the Laser Institute of America (LIA) administers the process and provides financial and clerical support to the committee.

The LIA and its directors, officers, employees, members, affiliates, and sponsors, expressly disclaim liability for any personal injury, property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance on this document or these standards. The LIA's service as secretariat does not constitute, and LIA does not make any endorsement, warranty, or referral of any particular standards, practices, goods, or services that may be referenced in this document. The LIA also makes no guarantee or warranty as to the accuracy or completeness of any information published herein. The LIA has no power, nor does it undertake to police or enforce compliance with the contents of this document.

In issuing and making this document available, the LIA is not undertaking to render professional or other services for or on behalf of any person or entity. Nor is the LIA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

Participants At the time it approved this standard, ASC Z136 had the following members:

| <i>Organization Represented</i> | <i>Name of Representative</i> |
|--|-------------------------------|
| Academy of Laser Dentistry | Scott Benjamin |
| Altos Photonics, Inc. | Lucian Hand |
| American Academy of Dermatology | Mark Nestor |
| American College of Obstetricians & Gynecologists | Ira Horowitz |
| American Dental Association | Joel White |
| American Glaucoma Society | Michael Berlin |
| American Industrial Hygiene Association | R. Timothy Hitchcock |
| American Society for Laser Medicine & Surgery | David Sliney |
| American Society of Safety Engineers | Brian Biesman (Alt) |
| | Thomas V. Fleming |
| | Walter Nickens (Alt) |
| American Veterinary Medical Association | Kenneth Bartels |
| American Welding Society | Mark McLear |
| Association of periOperative Registered Nurses (AORN) | Evangeline Dennis |
| Association of Surgical Technologists | Kevin Frey |
| Buffalo Filter | Daniel Palmerton |
| Camden County College | Fred Seeber |
| Daniel Laser Safety | Paul Daniel Jr. |
| Health Physics Society | Thomas Johnson |
| | David Sliney (Alt) |
| High-Rez Diagnostics | Richard Hughes |
| Institute of Electrical and Electronics Engineers Standards Association (SCC-39) | Ron Petersen |
| International Imaging Industry Association (I3A) | Joseph Greco |
| Kentek Corporation | William Arthur |
| L*A*I International | Thomas Lieb |
| Laser Institute of America | Gus Anibarro |
| Laser Safety Consulting, LLC. | Darrell Seeley |
| Lawrence Berkeley National Laboratory | Ken Barat |
| Lawrence Livermore National Laboratory | Robert Ehrlich |
| Lightwave International | Roberta McHatton |
| Los Alamos National Laboratory | Connon Odom |
| National Aeronautics and Space Administration | Guy Camomilli |
| National Institute of Standards and Technology (NIST) | Randall Scott (Alt) |
| | Joshua Hadler |
| North American Association for Laser Therapy (NAALT) | Raymond Lanzafame |
| Power Technology, Inc. | William Burgess |

| | |
|--|-----------------------|
| Rockwell Laser Industries | William Ertle |
| Solta Medical Inc. | George Frangineas |
| TASC, Inc. | Edward Early |
| Underwriters Laboratories, Inc. | Peter Boden |
| University of Texas, Southwestern Medical Center | John Hoopman |
| US Department of Health and Human Services, Center for Devices and Radiological Health | Richard Felten |
| US Department of Labor, Occupational Safety & Health Administration | Robert James (Alt) |
| US Department of the Air Force, Air Force Research Laboratory | Jeffrey Lodwick |
| US Department of the Air Force, Surgeon General's Office | Benjamin Rockwell |
| US Department of the Army, Medical Research & Materiel Command | Robert Thomas (Alt) |
| US Department of the Army, US Army CHPPM | Edward Kelly |
| US Department of the Navy, Naval Air Systems Command | Bruce Stuck |
| US Department of the Navy, Naval Sea Systems Command | Jeffrey Pfoutz |
| | Penelope Galoff (Alt) |
| | James Sheehy |
| | Sheldon Zimmerman |
| | Mary Zimmerman (Alt) |

Individual Members

Robert Aldrich
Prem Batra
Hong Chen
Richard Crowson
Jerome Dennis
David Dewey
Ben Edwards
Mark Festenstein
Donald Haes
Robert Handren, Jr.
Ami Kestenbaum
David J. Lund
Martin Mainster
Wesley Marshall
J. Stuart Nelson
Patti Owens
Jay Parkinson
Randolph Paura
William P. Roach
Penny J. Smalley
Nikolay Stoev
Paul Testagrossa

Individual Members cont'd

Thomas Tierney
Antonio Triventi
Karl Umstadter
Robert Weiner
Anthony Zmorenski

Emeritus Members

Sidney Charschan
David Edmunds
James Smith
Myron Wolbarsht

The various subcommittees that participated in developing this standard had the following members:

Safe Use of Optical Fiber Communication

Systems Utilizing Laser Diode and LED Sources

| | | |
|-----------------------------|----------------------|-----------------|
| Ron Petersen, Chair | Jerome Dennis | C. Eugene Moss |
| Robert Aldrich, Vice-Chair | Joshua Hadler | Jay Parkinson |
| Paul Testagrossa, Secretary | R. Timothy Hitchcock | Kenneth Puckett |
| | Kimberly Kantner | David Sliney |
| | Ami Kestenbaum | Nikolay Stoev |
| | Anthony Lopez | Robert Thomas |
| | Wesley Marshall | Robert Weiner |

Laser Bioeffects, TSC-1

| | | |
|---------------------------|-----------------|-------------------|
| Bruce Stuck, Chair | Robert Aldrich | Jeffrey Oliver |
| David Sliney, Vice-Chair | Kenneth Bartels | Jay Parkinson |
| Jeffrey Pfoutz, Secretary | Gary Bower | Ron Petersen |
| | Clifton Clark | Jeffrey Pfoutz |
| | Francois Delori | William P. Roach |
| | Jerome Dennis | Benjamin Rockwell |
| | William Ertle | Noam Sapiens |
| | Penelope Galoff | Karl Schulmeister |
| | Jennifer Hunter | James Sheehy |
| | Thomas Johnson | Robert Thomas |
| | Brian J. Lund | Stephen Till |
| | David J. Lund | Stephen Trokel |
| | Martin Mainster | Myron Wolbarsht |
| | Wesley Marshall | Mary Zimmerman |
| | Leon McLin | Sheldon Zimmerman |
| | C. Eugene Moss | Joseph Zuclich |
| | John O'Hagan | |

Hazard Evaluation & Classification, TSC-2

| | | |
|----------------------------|------------------|-------------------|
| Robert Thomas, Chair | Robert Aldrich | Benjamin Rockwell |
| Jeffrey Pfoutz, Vice-Chair | Ahsan Chowdary | Darrell Seeley |
| | Jerome Dennis | David Sliney |
| | Edward Early | Dale Smith |
| | Mark Festenstein | Sue Terry |
| | Anthony Lopez | Paul Testagrossa |
| | Wesley Marshall | Karl Umstadter |
| | Connon Odom | Robert Weiner |
| | Jay Parkinson | Xiaowei Yan |
| | Ron Petersen | Sheldon Zimmerman |

Control Measures & Training, TSC-4

William Ertle, Chair
R. Timothy Hitchcock,
Vice-Chair
Darrell Seeley, Secretary

Robert Aldrich
Gus Anibarro
William Arthur
Ken Barat
Prem Batra
David Bothner
Richard Crowson
Paul Daniel, Jr.
Jerome Dennis
Mark Festenstein
Thomas Fleming
Penelope Galoff
Richard Greene
Mike Hart
Roy Henderson
John Hoopman
Richard Hughes
Bill Janssen
Thomas Johnson
Kimberly Kantner
Thomas Lieb
Scott Linzy
David J. Lund
Wesley Marshall
Mark McLear
C. Eugene Moss

John O'Donnell
John O'Hagan
Connon Odom
Jay Parkinson
Ron Petersen
William P. Roach
Benjamin Rockwell
James Sheehy
David Sliney
Penny J. Smalley
Dale Smith
James Smith
Casey Stack
Nikolay Stoev
Bruce Stuck
Sue Terry
Paul Testagrossa
Robert Thomas
Stephen Trokel
Karl Umstadter
Robert Weiner
Mike Wolbarsht
Michael Woods
Sheldon Zimmerman
Anthony Zmorenski

Non-Beam Hazards, TSC-5

Ben Edwards, Chair
Thomas Tierney, Secretary

Ken Barat
Ritchie Buschow
Joseph Greco
R. Timothy Hitchcock
Richard Hughes
C. Eugene Moss
Daniel Palmerton

Ron Petersen
Penny J. Smalley
James Smith
Dan Thomas
Robert Thomas
Thomas Tierney
Arthur Varanelli

Analysis and Applications, TSC-7

Wesley Marshall, Chair
Robert Thomas, Vice-Chair

Robert Aldrich
Gary Bower
Connon Odom
Jay Parkinson
Ron Petersen
William P. Roach
Benjamin Rockwell
David Sliney

Dale Smith
Nikolay Stoev
Bruce Stuck
Robert Weiner
Scott Wohlstein
Mary Zimmerman
Sheldon Zimmerman
Anthony Zmorenski

Editorial Working Group, EWG

Ron Petersen, Chair

Ben Edwards
Kevin Frey
Penelope Galoff
Richard Hughes
Bill Jansen

Thomas Johnson
Barbara Sams
Paul Szajowski
Mary Zimmerman

Contents

| SECTION | PAGE |
|---|------|
| 1. General..... | 1 |
| 1.1 Scope..... | 1 |
| 1.2 Purpose..... | 1 |
| 1.3 Application..... | 2 |
| 1.4 Procedure for Using this Standard..... | 6 |
| 1.5 Responsibilities..... | 7 |
| 1.6 Laser Safety Officer (LSO)..... | 7 |
| 2. Definitions..... | 8 |
| 3. Hazard Evaluation..... | 19 |
| 3.1 General..... | 19 |
| 3.2 Hazard Classification..... | 19 |
| 3.3 General Considerations..... | 23 |
| 3.4 Optical Fiber Communication Systems (OFCS)..... | 24 |
| 3.5 Free-space Optical Communication Systems (FSOCS)..... | 27 |
| Table 3.1 – Maximum Time to Reach Lower Hazard Level when APR is Used..... | 26 |
| Table 3.2 – OFCS Requirements..... | 27 |
| Table 3.3 – Restrictions for Equipment Classes and Access Levels..... | 30 |
| 4. Control Measures..... | 31 |
| 4.1 General Considerations (OCS)..... | 31 |
| 4.2 General Requirements for Installers of Turn-key (Ready-to-use) OCS..... | 32 |
| 4.3 OFCS..... | 33 |
| 4.4 FSOCS..... | 36 |
| Table 4.1 – Requirements for Area Warning Signs..... | 47 |
| Figure 4.1 – Commercial Structures..... | 37 |
| Figure 4.2 – Residential Areas..... | 38 |
| Figure 4.3 – Examples of External Location Types..... | 40 |
| Figure 4.4 – Class 1M Transmitter in Unrestricted Location: An Example of an IPS that Monitors the Extended NHZ of a Class 1M Transmitter..... | 41 |
| Figure 4.5 – Class 1M or 2M Transmitter Near Edge of Rooftop (Unrestricted Location)..... | 42 |
| Figure 4.6 – Class 3R transmitter in Restricted Location: An Example of an IPS that Monitors the Entire NHZ of the Class 3R Transmitter..... | 44 |
| 5. Safety and Training Programs..... | 49 |
| 5.1 Organizations..... | 49 |
| 5.2 Training..... | 50 |
| 5.3 Responsibilities of Individuals Working with OCS..... | 50 |

| SECTION | PAGE |
|---|------|
| 6. Medical Examinations and Medical Surveillance..... | 50 |
| 6.1 Medical Examinations | 50 |
| 6.2 Medical Examinations Following Suspected Injury | 50 |
| 7. Non-beam Hazards..... | 51 |
| 7.1 General..... | 51 |
| 7.2 Glass Particle Hazards | 51 |
| 7.3 Solvents and other Chemicals..... | 51 |
| 7.4 Optical Curing..... | 52 |
| 7.5 Electrical Hazards | 52 |
| 7.6 Exposure to Electric and Magnetic Fields | 52 |
| 7.7 Fires | 52 |
| 7.8 Falls..... | 52 |
| 7.9 Confined Space | 53 |
| 8. Criteria for Exposure of the Eye and Skin | 53 |
| 8.1 Point Source and Extended Source Ocular Exposures | 53 |
| 8.2 MPE for Ocular Exposures | 54 |
| 8.3 Skin Exposure | 55 |
| 9. Measurements | 55 |
| 9.1 General..... | 55 |
| 9.2 Measurements of Optical Power | 55 |
| 10. Revision of Standards and Codes Referred to in this Document..... | 56 |
| 10.1 ANSI Standards | 56 |
| 10.2 Other Standards and Codes..... | 56 |
| Tables | |
| Table 1 – Accessible Emission Limits for Class 1 and Class 1M OCS Laser Products..... | 58 |
| Table 2 – Accessible Emission Limits for Class 2 and Class 2M OCS Laser Products..... | 59 |
| Table 3a – Accessible Emission Limits for Class 3R OCS Laser Products | 60 |
| Table 3b – Accessible Emission Limits for Class 3B OCS Laser Products | 61 |
| Table 4a – Limiting Apertures (Irradiance and Radiant Exposure) for General Hazard Evaluation and the Determination of Access Levels (FSOCS) | 61 |
| Table 4b – Limiting Apertures for General Hazard Evaluation and the Determination of Hazard Levels (OFCS) ^a | 62 |
| Table 4c – Summary of Measurement Conditions for Classification..... | 63 |
| Table 5a – Maximum Permissible Exposure (MPE) for Point-source Ocular Exposure to an OCS Laser Beam..... | 64 |

| SECTION | PAGE |
|---|------|
| Table 5b – Maximum Permissible Exposure (MPE) for Extended-source Ocular Exposure to an OCS Laser Beam..... | 65 |
| Table 6 – Maximum Permissible Exposure (MPE) for Skin Exposure to an OCS Laser Beam | 66 |
| Table 7 – Parameters and Correction Factors | 67 |
| Table 8a – Output Power Limits for Hazard Levels (OFCS) | 68 |
| Table 8b – Parameters used in Table 8a | 69 |

Figures

| | |
|---|----|
| Figure 1 – Correction factor C_A used to Determine the MPE for Wavelengths Between 0.700 μm and 1.400 μm | 70 |
| Figure 2 – Correction Factor C_C used to Determine the MPE for Wavelengths Between 1.050 μm and 1.400 μm | 71 |
| Figure 3 – Correction factor T_2 used to Determine the Extended-source MPE Based on Thermal Effects for Exposure Durations Greater than T_2 | 72 |
| Figure 4 – Ocular MPE for Point-source Viewing for Wavelengths Between 0.600 μm and 1.4 μm . All Values are Multiplied by the Correction Factor C_E (Equals Unity for Point Sources)..... | 73 |
| Figure 5a – Hazard Level 1 AEL – Single-mode Optical Fiber | 74 |
| Figure 5b – Hazard Level 1M AEL – Single-mode Optical Fiber | 75 |
| Figure 5c – Hazard Level 1 AEL – Multi-mode Optical Fiber (10X Eye-loupe) | 76 |
| Figure 5d – Hazard Level 1M AEL – Multi-mode Optical Fiber (Unaided Eye) | 77 |
| Figure 6a – Hazard Level 3R AEL – Single-mode Optical Fiber | 78 |
| Figure 6b – Hazard Level 3R AEL –Multi-mode Optical Fiber..... | 79 |
| Figure 7a – Hazard Level 3B AEL – Single-mode Optical Fiber | 80 |
| Figure 7b – Hazard Level 3B AEL – Multi-mode Optical Fiber..... | 81 |
| Figure 8a – Graphical Representation of k , i.e., the Reciprocal of the Aperture Efficiency, at a Distance of 100 mm for Selected Multi-mode Optical Fibers | 82 |
| Figure 8b – Graphical Representation of k , i.e., the Reciprocal of the Aperture Efficiency, at a Distance of 100 mm for Selected Single-mode Optical Fibers | 83 |

Appendix A

| | |
|---|----|
| Examples of Typical Viewing Conditions, Nominal Ocular Hazard Distances (NOHD), and AELs for OFCS Hazard Levels | 85 |
| A.1 General..... | 85 |
| Table A.1 – Typical Optical Fibers used in Telecommunications Applications | 91 |
| Figure A.1 – Unaided Viewing..... | 86 |
| Figure A.2 – Optically Aided Viewing..... | 86 |
| Figure A.3 – Measurement Arrangement used for Determining OFCS Hazard Level | 86 |
| Figure A.4 – Measurement Arrangement used to Determine the OFCS Hazard Level. (For cases where α must be measured to determine C_E for calculating the limit.) | 87 |
| Figure A.5 – Nominal Ocular Hazard Distance as a Function of Output Power for a Multi-mode Optical Fiber with a Numerical Aperture of 0.22 Operating at 0.850 μm | 88 |

| SECTION | PAGE |
|--|---------|
| Figure A.6 – Nominal Ocular Hazard Distance as a Function of Output Power for a Single-mode Optical Fiber with a Mode-field Diameter (ω_0) Equal to 8.8 μm and 11 μm Operating at 1.310 μm . | 89 |
| Figure A.7 – Nominal Ocular Hazard Distance as a Function of Output Power for a Single-mode Optical Fiber with a Mode-field Diameter (ω_0) Equal to 8.8 μm and 11 μm Operating at 1.55 μm . | 90 |
| Appendix B | |
| Examples of Applications and Calculations | 92 |
| B.1 General | 92 |
| B.2 Symbols | 92 |
| B.3 Examples of MPE Determination and Hazard Level Determination (OFCS) | 94 |
| Figure B.1 Determining the NOHD (r_{NOHD}) for Emission from an Optical Fiber. | 103 |
| Figure B.2 FSOCS Link Between two Restricted Locations. | 105 |
| Figure B.3 Optical Fiber Ribbon Cable | 111 |
| Appendix C | |
| General Examples of Methods of Hazard/Safety Analysis and Work Practices | 114 |
| C.1 Examples of Methods of Hazard/Safety Analysis | 114 |
| C.2 Work Practices for FSOCS | 114 |
| C.3 Work Practices for OFCS | 116 |
| C.4 References | 118 |
| Appendix D | |
| OCS Risk Assessment Philosophy—Clarification of OCS Terminology: Hazard Classification, Access Level and Hazard Level. | 119 |
| D.1 General | 119 |
| D.2 Hazard Class, Hazard Level and Access Level | 119 |
| D.3 Maximum Permissible Exposure (MPE) | 120 |
| D.4 Hazard Classification | 121 |
| D.5 References | 123 |
| Appendix E | |
| Medical Surveillance | 124 |
| E.1 Other Medical Examinations | 124 |
| E.2 Medical Surveillance | 124 |
| Index | 125 |